

**The University of Alabama at Birmingham
Coagulation Laboratory Test Order**

UAB Coagulation Service
205-934-8650; Fax 205-975-9638
<http://coag.path.uab.edu>

UAB Hospital Laboratories
M102 Russell Wing; 1813 6th Avenue South
Birmingham, AL 35249-6820

Patient Name: Last, First, MI		M/F	Social Security Number	
Patient Address, City, State, Zip		Inpatient?	Home Phone	Day Phone
Insurance Company 1 Name and Policy Number		Insurance Company 2 Name and Policy Number		
Policy Holder Name and Address		Policy Holder Name and Address		
Physician Name and UPIN#		Physician Address and Phone		
Address for Results			Fax Number for Results	

Prothrombin time/INR	PT	von Willebrand profile	VWFP	Activated protein C resistance	APCR	
Partial thromboplastin time	PTT	<i>Includes vWF activity</i>		Factor V Leiden mutation		
Anti-Xa low MW heparin	Anti-Xa	<i>vWF antigen, and</i>		Prothrombin 20210 mutation		
Anti-Xa standard heparin	Anti-Xa	<i>factor VIII activity/</i>		Protein C activity		PROT C
PT mixing study	PT MIX	Platelet aggregation	PTL AGG	Protein S activity		PROT S
PTT mixing study	PTT MIX	<i>Includes aggregation and ATP</i>		Antithrombin activity		AT III
D-dimer	D-DIMER	<i>release with thrombin, collagen,</i>		Homocysteine		HOMOCYST
Fibrinogen activity	FIB	<i>arachidonic acid, and ristocetin</i>		Thrombin clotting time		THROMBIN
Factor VIII	FVIII	Lupus anticoagulant	LUP ANTICO	Reptilase time		REPTILASE
Factor IX	FIX	<i>Includes: lupus anticoagulant</i>		Euglobulin clot lysis time		ECLT
Other factor _____ (specify)		<i>sensitive PTT, dilute Russell's</i>		Fibrin degradation products		FDP
Factor VIII inhibitor	FVIII INH	<i>viper venom time, and confirm-</i>		Pathologist consultation		
Other:		<i>atory studies</i>		Other:		
Other:		Other:		Other:		

History: Give ICD-9 Diagnosis Code and Date		Anticoagulant therapy: Give Dosage and Date	
Easy bruising:		Coumadin (warfarin):	
Bleeding into joints:		Unfractionated (standard) heparin:	
Venous thrombosis / pulmonary embolism:		Low molecular weight heparin:	
Myocardial infarction / stroke:		Aspirin:	
Complications of pregnancy:		Blood group A B O AB	
Prolonged prothrombin time or PTT:		Other:	

Specimens must be collected in 3.2% sodium citrate, blue-stopper tubes. The tubes may not be over- or underfilled. Bloods are centrifuged and the plasma separated within one hour. If plasma cannot be tested within three hours it must be snap-frozen at -70°C and shipped on dry ice. For specimen instructions or technical assistance, call 205-934-8650 Monday-Friday 7:30 AM to 4:00 PM. For consultation, contact the UAB paging service at 205-934-3411 and ask for Dr. Marques #3981 or Mr. Fritsma #7743. For outpatient referrals, contact Dr. Adler via the clinic scheduling service at 205-934-5077 or 205-934-7271.